



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/085,399	02/28/2002	Hans Carlsson	4015-2022	6746
24112	7590	05/03/2006	EXAMINER	
COATS & BENNETT, PLLC			AHMED, SALMAN	
P O BOX 5			ART UNIT	PAPER NUMBER
RALEIGH, NC 27602			2616	

DATE MAILED: 05/03/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/085,399

Applicant(s)

CARLSSON, HANS

Examiner

Salman Ahmed

Art Unit

2616

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 4/19/06.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-22, 24-31 and 33-37 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-6, 8-17, 19-22, 24-31 and 33-37 is/are rejected.
- 7) ☒ Claim(s) 7 and 18 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 28 February 2002 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date: _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Claims 1-22, 24-31, 33-37 are pending.

Claims 23 and 32 are cancelled by the applicant.

Claims 1-6, 8-17, 19-22, 24-31, 33-37 are rejected.

Claims 7 and 18 are objected.

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

1. Claims 14- 17, 19- 22, 30, 31, 34- 37 are rejected under 35 U.S.C. 102(e) as being anticipated by Rinne et al. (US PAT 6201966), hereinafter referred to as Rinne.

In regards to claims 14, 15, 34-37 a method of facilitating mobile station operations in a wireless communication network (figure 1), the method comprising: receiving an idle time request (figure 1, element 100) at the network (figure 1, element 20) from a mobile station (figure 1, element 10) requiring additional idle time (figure 1, element 100, IDLE_ALLOC_REQ) to perform a designated task is anticipated by (column 4 lines 1-3) a mobile station 10 sending 100 to the network 20 the message IDLE_ALLOC_REQ with which the mobile station requests the network to allocate idle time.

Determining whether to grant the idle time request; and sending a response (figure 1, element 130, IDLE_INFO) to the mobile station identifying forthcoming additional idle time to be used by the mobile station for performing the designated task if the idle time request is granted is anticipated by (column 4 lines 1-14) the steps of having received the message the network 20 checks 110 whether a suitable pause is coming up in the communication between the mobile station and the network. If such a pause is not coming up, the network allocates 120 to the mobile station a pause that matches the mobile station's request as well as possible. Then the network sends an IDLE_INFO message to the mobile station, telling it how much and when it will have idle time at its disposal.

In regards to claims 14, 19, 20, 30, 34, 35 and 37 a wireless communication network (figure 1) operative to support wireless communication with a plurality of mobile stations (figure 6a, mobile stations A, B, C, D and E), and programmed to: transmit a task request (column 9 line 3, description of the beacon signal) to perform a designated

Art Unit: 2616

task to a mobile station (column 9 lines 2-4, a network 20 sends 455 to a mobile station a description of the beacon signal of a nearby base station), and wherein the task request specifies the designated task (column 9 lines 6-8, to receive the information of the beacon signal) and a defined time limit for performing the designated task at the mobile station (column 9 lines 6-8, Having received the description the mobile station checks 460 whether it has time to receive the information of the beacon signal within the idle time possibly available to it); receive a request for additional idle time from the mobile station (figure 1, element 100) for performing the designated task (column 9 lines 8-10, If the mobile station is unable to receive said information it sends 100 to the network a request for idle time); and determine whether to grant the request based on ongoing communication scheduling operations (column 6 lines 66-67, column 7 lines 1-3, in a congested traffic situation the network tells the mobile station how much idle time the network was able to allocate) involving the plurality of mobile stations (figure 6a, mobile stations A, B, C, D and E); determine a particular allocation (column 2 line 65, the network checks if it can provide such idle time) of additional idle time over one or more forthcoming TDMA periods (column 10 lines 41-42, GSM terminology and TDMA-based) based on the request; and transmit a request response to the mobile station identifying whether the request is granted, and, if so, the particular allocation of additional idle time in the one or more forthcoming TDMA periods is anticipated by (column 2 lines 64-67, column 3 lines 1-3) the steps of the network checking if it can provide such idle time, and if it can, the network provides the mobile station with the idle

time it requested, and the network informs the mobile station when and how much idle time the mobile station has at its disposal.

In regards to claims 16, 21, 22 and 34, receiving a request for one or more units of idle time within one or more forthcoming TDMA frames used for communication between the mobile station and the wireless communication network is anticipated by (column 5 lines 64-67, column 6 lines 1-7) the mobile station indicating the idle time it needs in many different ways. For example, the mobile station may indicate how many frames it needs idle during a certain period of time. In the example of FIG. 3a, the mobile station requests one idle frame at ten-frame intervals. There may be more than one frame requested idle and the length of the period may be something other than ten frames.

In regards to claim 17, identifying one or more radio frames in one or more forthcoming multiframe to be used as additional idle time by the mobile station is anticipated by (column 9 lines 43-47) the network coordinating pauses requested by the mobile station for different connections so that the mobile station be able to use a pause with the length of a full frame.

In regards to claim 31 the network is operative to avoid communication with the mobile station during times corresponding to the particular allocation of idle time in the forthcoming TDMA periods is anticipated by (column 1 lines 26-31) the mobile station needs free time for carrying out measurements. In the GSM system having a pause at every 26th frame on the TCH/F channel transferring speech so that the mobile station has about 6 ms to make measurements solves this. Such a frame is called an idle

frame. In column 7 lines 63-67, Rinne teaches during an idle frame the network will not send information to the mobile station and assumes that the mobile station will not respond to signaling or transmit information.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1, 4- 6, 8-13, 26 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over King et al. (US PAT 6313787), in view of Rinne.

In regards to claims 1, 4-6, 8-13, 26 and 27 King teaches a method of facilitating mobile station operations in a wireless communication network (figure 1), the method comprising: receiving a request/command (column 26 lines 58-60, RRLP MEASURE POSITION request) at the mobile station to perform a designated task (column 26 line 63, GPS measurements).

In regards to claims 1, 4, 5, 11, 13 and 26 King does not explicitly teach the steps of determining whether a current operating mode of the mobile station offers sufficient idle time/background processing time to perform designated task within a desired time; and requesting additional idle time from the wireless communication network if sufficient idle time/background processing time is not available at the mobile station. In regards to

claim 6, King does not explicitly teach evaluating a number of currently allocated idle time per TDMA multiframe. In regards to claim 8, King does not explicitly teach the response message indicates whether the request from the mobile station for additional idle time is granted. In regards to claim 9, King does not explicitly teach message further indicates one or more future idle times, and further comprising performing at least a portion of the designated task during the one or more future idle times. In regards to claim 10, King does not explicitly teach future times are identified by time blocks within repeating time-division-multiple-access (TDMA) frames, and further comprising performing the designated task during the identified time blocks. In regards to claim 12, King does not explicitly teach GPRS terminal and GPRS network.

In regards to claims 1, 4, 10, 12, 13 and 26 Rinne in the same field of endeavor teaches the steps of determining whether a current operating mode of the mobile station offers sufficient idle time/background processing time to perform designated task within a desired time (column 12 lines 32-33, the mobile station makes an independent decision about the allocation of idle time); and requesting additional idle time from the wireless communication network if sufficient idle time/background processing time is not available at the mobile station (column 12 lines 34-39, the mobile station sends an indication to the network e.g. about the cutting-off of the connection for a certain duration, the indication advantageously comprising the same information as the idle time request IDLE_ALLOC_REQ, e.g. the length and moment of occurrence of the pause). In regards to claim 6, Rinne teaches evaluating a number of currently allocated idle time per TDMA multiframe (column 8 lines 4-8, in the GSM system the

idle frame is repeated every 26th frame and in the GSM/GPRS system every 13th frame. So, each mobile station can request the necessary number of idle frames for which the network may allocate the required idle time). In regards to claim 8, Rinne teaches (column 3 lines 21-22) send to the mobile station information about the idle time available to the mobile station. In regards to claim 9, Rinne teaches (column 4 lines 18-20) the mobile station preferably indicates how much idle time it needs and within which period of time it needs the idle time. Additionally, the mobile station may indicate that it also needs idle time later on, in which case it may indicate e.g. a certain period of time T after which the network shall allocate to the mobile station the indicated amount of idle time.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify King's system/method by incorporating the idle time request scheme as taught by Rinne. The motivation is that (as taught by King, column 2 lines 3-24) the receiver obtains satellite ephemeris and clock correction data by demodulating the satellite broadcast message stream. The satellite transmission contains 576 bits of data transmitted at 50 bits per second (bps). The constants contained in the ephemeris data coincide with Kepler orbit constants requiring many mathematical operations to turn the data into position and velocity data. Such conversion may require 90 multiplies, 58 adds and 21 transcendental function calls (sin, cos, tan) in order to translate the ephemeris into a satellite position and velocity vector at a single point, for one satellite. Most of the computations require double precision, floating point processing. A receiver must perform this computation every second for

Art Unit: 2616

every satellite, for up to twelve satellites. Thus, the computational load for performing the traditional calculation is significant. Further motivation is that (as taught by Rinne, column 2 lines 54-60) to provide a means for facilitating the realization of necessary measurements is to provide a method with which a mobile station is allocated idle time it needs for measurements.

In regards to claim 26 King teaches a mobile station (figure 1, element 104) including a radio frequency (RF) transceiver (figure 8, elements 523 and 527) communicating with a wireless communication network (figure 17, elements 110, 112, 114, 118, 119, 122).

In regards to claim 27, king teaches the processing Logic is programmed to perform one or more positioning operations facilitating determination of the location of the mobile station within a geographic area covered by the network (column 26 line 64, MS computes a GPS location estimate).

4. Claims 2, 3, 28 and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over King, in view of Rinne, in view of in view of TDMA Third Generation Wireless -System Assisted Mobile Positioning Through Satellite (SAMPS) Teleservices, ANSI/TIA/EIA-136-740-2001 Approved: April 23, 2001, hereafter referred to as ANSI/TIA/EIA-136-740-2001.

In regards to claims 2, 3 and 28 King in view of Rinne teach mobile station getting command to perform GPS based calculation as taught by the rejections of claim 26 above.

In regards to claims 2; 3 and 28 King in view of Rinne do not teach the processing logic is programmed to process a location command received at the mobile station from the network to identify defined time limit for completing the requested positioning operation.

In regards to claims 2, 3 and 28 ANSI/TIA/EIA-136-740-2001 ANSI/TIA/EIA-136-740-2001 in the same field of endeavor teaches (page 5, line 22) MS accepting the Measure Position Request, and the QoS Parameters IE from the network. In page 34 lines 3-4, ANSI/TIA/EIA-136-740-2001 teaches the Requested Response Time field is 2N seconds, where N is the value in this field. 3 Thus, the desired maximum response time can be 1, 2, 4, 8, 16, 32, 64, or 128 seconds.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Rinne in view of King's system/method to incorporate a response timer as taught by ANSI/TIA/EIA-136-740-2001. The motivations is that as taught by ANSI/TIA/EIA-136-740-2001, (page 1 first paragraph) TIA/EIA Engineering Standards and Publications are designed to serve the public interest through eliminating misunderstandings between manufacturers and purchasers, facilitating interchangeability and improvement of products, and assisting the purchaser in selecting and obtaining with minimum delay the proper product for his particular need.

In regards to claim 29, Rinne teaches the processing Logic generates a request for additional idle time based On whether the current Operating mode provides sufficient idle time for completing the requested positioning operation within the defined time Limit (column 4 lines 18-20, the mobile station preferably indicates how much idle time it needs and within which period of time it needs the idle time. Additionally, the mobile station may indicate that it also needs idle time later on, in which case it may indicate e.g. a certain period of time T after which the network shall allocate to the mobile station the indicated amount of idle time).

5. Claims 24 and 25, are rejected under 35 U.S.C. 103(a) as being unpatentable over Rinne, in view of King, in view of ANSI/TIA/EIA-136-740-2001.

In regards to claims 24 and 25, Rinne in view of King teach mobile station sends the idle time request to perform the designated task and sending a command to the mobile station to perform the designated task as described in the rejection of claim 14 above. In regards to claim 25, King teaches receiving a Location request from a third party at the network for the mobile station and determining that the mobile station is required to perform the designated task (column 26 lines 54-60, The SMLC determines possible assistance data and sends a RRLP MEASURE POSITION request to MSC and the MSC forwards the RRLP MEASURE POSITION request to the BSC; (b) the BSC sends the positioning request including the QoS and any assistance data to the MS in a RRLP MEASURE POSITION request).

In regards to claims 24 and 25, Rinne in view of King do not explicitly teach; identifying a desired time limit for performance of the task; and forming the command such that the command indicates the designated task and the desired time limit.

In regards to claims 24 and 25, ANSI/TIA/EIA-136-740-2001 in the same field of endeavor teaches (page 5, line 22) MS accepts the Measure Position Request, and the QoS Parameters IE from the network. In page 34 lines 3-4, ANSI/TIA/EIA-136-740-2001 teaches the Requested Response Time field is 2N seconds, where N is the value in this field. 3 Thus, the desired maximum response time can be 1, 2, 4, 8, 16, 32, 64, or 128 seconds.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Rinne in view of King's system/method to incorporate a response timer as taught by ANSI/TIA/EIA-136-740-2001. The motivations is that as taught by ANSI/TIA/EIA-136-740-2001, (page 1 first paragraph) TIA/EIA Engineering Standards and Publications are designed to serve the public interest through eliminating misunderstandings between manufacturers and purchasers, facilitating interchangeability and improvement of products, and assisting the purchaser in selecting and obtaining with minimum delay the proper product for his particular need.

6. Claim 33 is rejected under 35 U.S.C. 103(a) as being unpatentable over Rinne, in view of ANSI/TIA/EIA-136-740-2001, in view of King.

Rinne n view of ANSI/TIA/EIA-136-740-2001 teach mobile station sending the idle time request to perform the designated task and sending a command to the mobile

Art Unit: 2616

station to perform the designated task and identifying a desired time limit for performance of the task; and forming the command such that the command indicates the designated task and the desired time limit as described in the rejections of claim 30 above.

Rinne in view of ANSI/TIA/EIA-136-740-2001 do not explicitly teach a positioning operation related to determining a Location of the mobile station within the network, and wherein the network is operative to transmit the task request based on receiving a location query for the mobile station from an external system communicatively coupled to the network.

King in the same field of endeavor teaches (column 26 lines 54-60) the SMLC determines possible assistance data and sends a RRLP MEASURE POSITION request to MSC and the MSC forwards the RRLP MEASURE POSITION request to the BSC; (b) the BSC sends the positioning request including the QoS and any assistance data to the MS in a RRLP MEASURE POSITION request. King further teaches the steps of performing one or more positioning operations facilitating determination of the location of the mobile station covered by the network (column 26 line 64, MS computes a GPS location estimate).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Rinne in view of ANSI/TIA/EIA-136-740-2001's teaching by incorporating the GPS measurement scheme as taught by King. The motivation is that (as taught by Rinne, column 2 lines 54-60) to provide a means for facilitating the realization of necessary measurements is to provide a method with which a mobile

station is allocated idle time it needs for measurements. Further motivation is that (as taught by King, column 2 lines 3-24) the receiver obtains satellite ephemeris and clock correction data by demodulating the satellite broadcast message stream. The satellite transmission contains 576 bits of data transmitted at 50 bits per second (bps). The constants contained in the ephemeris data coincide with Kepler orbit constants requiring many mathematical operations to turn the data into position and velocity data. Such conversion may require 90 multiplies, 58 adds and 21 transcendental function calls (sin, cos, tan) in order to translate the ephemeris into a satellite position and velocity vector at a single point, for one satellite. Most of the computations require double precision, floating point processing. A receiver must perform this computation every second for every satellite, for up to twelve satellites. Thus, the computational load for performing the traditional calculation is significant. As such Rinne's idle time scheme would provide idle time for such intensive computational load.

Allowable Subject Matter

7. Claims 7 and 18 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

8. Applicant's arguments see pages 10-15 of the Remarks section, filed 4/19/2006, with respect to the claim rejections have been fully considered but they are not persuasive.

Applicant argues (page 10, 2nd paragraph) Rinne does not teach or suggest any basis for refusing an idle time request, nor does Rinne appear even to contemplate the possibility of not granting the request. However, examiner respectfully disagrees with this assertion. The present claim language is broad and in view of the broadest reasonable interpretation of this language, Rinne does teach a basis for refusing an idle time request, and does appear to contemplate the possibility of not granting the request. In column 4 lines 1-14 Rinne teaches the steps of having received the message the network 20 checks 110 whether a suitable pause is coming up in the communication between the mobile station and the network. If such a pause is not coming up, the network allocates 120 to the mobile station a pause that matches the mobile station's request as well as possible.

Applicant argues (page 10, 3rd paragraph and page 11 1st paragraph) the Office Action simply ignores the clear limitations in the rejected claims that the idle request may not be granted, and that Applicant's claimed wireless network and method send idle time information to the mobile station responsive to a request only if the network decides to grant the request. However, examiner respectfully disagrees with this assertion. The present claim language is broad and in view of the broadest reasonable interpretation of this language, the Office Action does not ignore the clear limitations in the rejected claims that the idle request may not be granted, and that Applicant's

claimed wireless network and method send idle time information to the mobile station responsive to a request only if the network decides to grant the request. In column 4 lines 1-14 Rinne teaches the steps of having received the message the network 20 checks 110 whether a suitable pause is coming up in the communication between the mobile station and the network. If such a pause is not coming up, the network allocates 120 to the mobile station a pause that matches the mobile station's request as well as possible.

Applicant argues (page 11, 2nd paragraph) that because Rinne does not explicitly or inherently teach the step of determining whether to grant idle time requests, it cannot anticipate independent claims 14 and 30 as a matter of law, nor any claims depending therefrom. Applicant argues to maintain an anticipation rejection, the allegedly anticipating reference must explicitly or inherently teach every limitation of the rejected claim(s) in the identical arrangement as claimed. Applicant argues Rinne does not teach conditional idle time granting and therefore cannot stand as an anticipating reference. However, examiner respectfully disagrees with this assertion for the reasons cited above.

Applicant argues (page 11, 4th paragraph) the amendments to claims 14 and 30 add further patentable distinction over Rinne, which does not teach or suggest that a wireless communication network commanding a given mobile station to perform a designated task and receiving a corresponding idle time request from the mobile station. However, examiner respectfully disagrees with this assertion. The present claim language is broad and in view of the broadest reasonable interpretation of this

Art Unit: 2616

language, Rinne does teach a wireless communication network commanding a given mobile station to perform a designated task (column 9 line 3, lines 2-8, to receive the information of the beacon signal) and receiving a corresponding idle time request from the mobile station (column 9 lines 8-10, If the mobile station is unable to receive said information it sends 100 to the network a request for idle time).

Applicant argues (page 13, 3rd paragraph) that the bottom line is that Rinne offers no teachings about a mobile station evaluating its operating mode as the basis for determining whether additional idle time is needed to perform a designated task as commanded by the network, nor does Rinne offer any teachings about a network commanding mobile stations to perform designated tasks. However, examiner respectfully disagrees with this assertion. The present claim language is broad and in view of the broadest reasonable interpretation of this language, Rinne does teach the above cited limitations. Rinne teaches transmitting a task request (column 9 line 3, description of the beacon signal) to perform a designated task to a mobile station (column 9 lines 2-4, a network 20 sends 455 to a mobile station a description of the beacon signal of a nearby base station), and wherein the task request specifies the designated task (column 9 lines 6-8, to receive the information of the beacon signal) and a defined time limit for performing the designated task at the mobile station (column 9 lines 6-8, Having received the description the mobile station checks 460 whether it has time to receive the information of the beacon signal within the idle time possibly available to it); receiving a request for additional idle time from the mobile station (figure 1, element 100) for performing the designated task (column 9 lines 8-10, If the mobile

station is unable to receive said information it sends 100 to the network a request for idle time).

Applicant argues (page 13, 4th paragraph) the Office Action offers no more than conclusory arguments regarding the motivation to combine Rinne with King. However, examiner respectfully disagrees with this assertion. The motivation is that (as taught by King, column 2 lines 3-24) such method reduces the computational load for performing the traditional calculation. Further motivation is that (as taught by Rinne, column 2 lines 54-60) to provide a means for facilitating the realization of necessary measurements is to provide a method with which a mobile station is allocated idle time it needs for measurements.

Applicant argues (page 14, 4th paragraph) the Office Action's arguments and explanations about how King's computational load would make the combination of King and Rinne obvious are without any logical force. However, examiner respectfully disagrees with this assertion. The test for obviousness is not whether the features of a secondary reference may be bodily incorporated into the structure of the primary reference; nor is it that the claimed invention must be expressly suggested in any one or all of the references. Rather, the test is what the combined teachings of the references would have suggested to those of ordinary skill in the art at the time the invention was made. See *In re Keller* 642 F.2d 413, 208 USPQ 871 (CCPA 1981).

Applicant argues (page 15, 2nd paragraph) that the various other rejections, such as the rejection of claims 24 and 25 as obvious over the combination of Rinne, King,

and ANSI/INCITS-136-740-2001, fail at least for the reasons given above. However, examiner respectfully disagrees with this assertion for the reasons cited above.

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

9. Prior art pertinent to the application but not used in office action:

- US 6625458 B2 USPAT GPS assistance data delivery method and system Pihl; Kari et al.
- US 6542823 B2 USPAT Information transfer in a multi-mode global positioning system used with wireless networks Garin; Lionel Jacques et al.

Conclusion


10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Salman Ahmed whose telephone number is (571)272-8307. The examiner can normally be reached on 8:30 am - 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hassan Kizou can be reached on (571) 272-3088. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit 2616

SA
04/28/2006


HASSAN KIZOU
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600